

ROCKET® 



| CATALOGUE



Solutions for all your wooden constructions \

ROCKET® 




Solutions for all your wooden constructions

SUMMARY

	Benefits	page 4
	Production news	page 5
	Wood and chipboard screw countersunk head-zinc coated PZ 	pages 6 - 11
	Wood and chipboard screw countersunk head-zinc coated T 	pages 12 - 17
	Wood and chipboard screw round head-zinc coated T 	pages 18 - 19
	Wood and chipboard screw countersunk head-stainless steel A2 PZ 	pages 20- 21
	Wood and chipboard screw countersunk head-stainless steel A2 T 	pages 22 - 23
	Hinge screw cylindrical head-black zinc coated steel T 	pages 24 - 25
	Hinge screw cylindrical head-stainless steel A2 T 	pages 26 - 27
	Wood screw Hexagonal head - Bichromate steel 	pages 28 - 29
	Flooring screw countersunk head-star-zinc-coated steel T 	page 30
	Terrace screw countersunk head-star-stainless steel A2 T 	page 31

SCREW CHARACTERISTICS



RELOCATION OF PRODUCTION

An industrial first

Already established in the Ardennes with logistics, packaging, printing, etc., Vynex innovates and launches the industrial production of ROCKET screws.

ROCKET is designed at Vynex in France, but historically manufactured in Taiwan.

Reconnecting with local know-how

The manufacture of mass-produced fasteners by cold stamping has almost disappeared in France; the market is dominated by supply manufacturing from Asia.

For Vynex, this has been a strategic priority for several years in order to defend and develop its ROCKET brand in the long term.

25% of production in the Ardennes

Initially, Vynex plans to relocate approximately 25% of ROCKET production and develop additional volumes of long technical screws.

In the longer term, Vynex intends to develop its industrial know-how by creating this sector in France. This approach is part of the company's CSR plan to reduce its carbon footprint by using more local resources.





PZ

\ WOOD AND CHIPBOARD


Countersunk head - Zinc-coated steel



Making the difference through cutting-edge technology.

The technical characteristics of ROCKET screws (slim, sharpened point; ribbed thread; hard-wearing triple cone), allied to their physical characteristics (high-quality steel, thermal treatment, dry lubrication, etc.) make these high-quality screws.

ROCKET screws deliver performance levels that are significantly higher than with standard screws, ticking all the boxes: initial grip, break resistance, non-splitting and durability.



VYNEX FR 08350
18
EN 14592+A1:2012
Labo : 0380 - Dop N°24

RELIABLE / FAST / EFFICIENT



Cardboard box

Small content

EAN code	Ø	Length	Recess	Quantity	Sell unit
310178 45 00 00 1	3	12	PZ1	35	6
310178 45 00 01 8	3	16	PZ1	30	6
310178 45 00 02 5	3	20	PZ1	30	6
310178 45 00 03 2	3	25	PZ1	30	6
310178 45 00 04 9	3	30	PZ1	30	6
310178 45 00 05 6	3,5	16	PZ2	30	6
310178 45 00 06 3	3,5	20	PZ2	30	6
310178 45 00 07 0	3,5	25	PZ2	30	6
310178 45 00 08 7	3,5	30	PZ2	30	6
310178 45 00 09 4	3,5	35	PZ2	30	6
310178 45 00 10 0	3,5	40	PZ2	30	6
310178 45 00 11 7	3,5	50	PZ2	30	6
310178 45 00 12 4	4	16	PZ2	30	6
310178 45 00 13 1	4	20	PZ2	25	6
310178 45 00 14 8	4	25	PZ2	25	6
310178 45 00 15 5	4	30	PZ2	25	6
310178 45 00 16 2	4	35	PZ2	25	6
310178 45 00 17 9	4	40	PZ2	25	6
310178 45 00 18 6	4	45	PZ2	25	6
310178 45 00 19 3	4	50	PZ2	25	6
310178 45 00 20 9	4	60	PZ2	12	6
310178 45 00 21 6	4	70	PZ2	12	6

EAN code	Ø	Length	Recess	Quantity	Sell unit
310178 45 00 24 7	4,5	30	PZ2	20	6
310178 45 00 25 4	4,5	35	PZ2	20	6
310178 45 00 26 1	4,5	40	PZ2	12	6
310178 45 00 27 8	4,5	45	PZ2	12	6
310178 45 00 28 5	4,5	50	PZ2	12	6
310178 45 00 29 2	4,5	60	PZ2	12	6
310178 45 00 30 8	5	20	PZ2	25	6
310178 45 00 31 5	5	30	PZ2	20	6
310178 45 00 33 9	5	40	PZ2	12	6
310178 45 00 34 6	5	45	PZ2	12	6
310178 45 00 35 3	5	50	PZ2	12	6
310178 45 00 36 0	5	60	PZ2	12	6
310178 45 00 37 7	5	70	PZ2	12	6
310178 45 00 38 4	5	80	PZ2	12	6
310178 45 00 39 1	6	40	PZ3	10	6
310178 45 00 40 7	6	50	PZ3	10	6
310178 45 00 41 4	6	60	PZ3	8	6
310178 45 00 42 1	6	70	PZ3	8	6
310178 45 00 43 8	6	80	PZ3	8	6
310178 45 00 44 5	6	90	PZ3	8	6
310178 45 00 45 2	6	100	PZ3	8	6
310178 45 00 46 9	6	120	PZ3	6	6





PZ

WOOD AND CHIPBOARD

Countersunk head - Zinc-coated steel



VYNEX FR 08350

18

EN 14592+A1:2012

Labo : 0380 - Dop N°24

ROCKET★

RELIABLE / FAST / EFFICIENT



Cardboard box

Medium content


EAN code	Ø	Length	Recess	Quantity	Sell unit
310178 45 02 00 5	3	12	PZ1	110	6
310178 45 02 01 2	3	16	PZ1	110	6
310178 45 02 02 9	3	20	PZ1	110	6
310178 45 02 03 6	3	25	PZ1	110	6
310178 45 02 04 3	3	30	PZ1	110	6
310178 45 02 05 0	3,5	16	PZ2	110	6
310178 45 02 06 7	3,5	20	PZ2	110	6
310178 45 02 07 4	3,5	25	PZ2	110	4
310178 45 02 08 1	3,5	30	PZ2	110	4
310178 45 02 09 8	3,5	35	PZ2	110	4
310178 45 02 10 4	3,5	40	PZ2	60	4
310178 45 02 11 1	4	16	PZ2	110	4
310178 45 02 12 8	4	20	PZ2	110	4
310178 45 02 13 5	4	25	PZ2	110	4
310178 45 02 14 2	4	30	PZ2	50	6
310178 45 02 15 9	4	35	PZ2	50	6
310178 45 02 16 6	4	40	PZ2	50	6
310178 45 02 17 3	4	45	PZ2	50	6
310178 45 02 18 0	4	50	PZ2	50	6
310178 45 02 19 7	4	60	PZ2	50	6
310178 45 02 20 3	4	70	PZ2	30	6
310178 45 02 23 4	4,5	30	PZ2	50	4
310178 45 02 24 1	4,5	35	PZ2	50	4
310178 45 02 25 8	4,5	40	PZ2	50	4
310178 45 02 26 5	4,5	45	PZ2	50	4
310178 45 02 27 2	4,5	50	PZ2	50	4
310178 45 02 28 9	4,5	60	PZ2	30	4
310178 45 02 29 6	5	20	PZ2	110	4
310178 45 02 30 2	5	30	PZ2	50	4
310178 45 02 32 6	5	40	PZ2	50	4
310178 45 02 33 3	5	45	PZ2	50	4
310178 45 02 34 0	5	50	PZ2	50	4
310178 45 02 35 7	5	60	PZ2	30	4
310178 45 02 37 1	5	80	PZ2	30	6
310178 45 02 38 8	6	40	PZ3	40	4
310178 45 02 39 5	6	50	PZ3	40	4
310178 45 02 40 1	6	60	PZ3	30	4
310178 45 02 41 8	6	70	PZ3	30	6
310178 45 02 42 5	6	80	PZ3	25	6
310178 45 02 43 2	6	90	PZ3	25	6
310178 45 02 44 9	6	100	PZ3	20	6



Cardboard box

High content

EAN code	Ø	Length	Recess	Quantity	Sell unit
310178 45 04 00 9	3	12	PZ1	320	6
310178 45 04 01 6	3	16	PZ1	320	6
310178 45 04 02 3	3	20	PZ1	320	6
310178 45 04 03 0	3	25	PZ1	320	6
310178 45 04 04 7	3	30	PZ1	220	6
310178 45 04 20 7	3,5	16	PZ2	320	6
310178 45 04 21 4	3,5	20	PZ2	320	6
310178 45 04 22 1	3,5	25	PZ2	250	6
310178 45 04 23 8	3,5	30	PZ2	200	6
310178 45 04 24 5	3,5	35	PZ2	180	6
310178 45 04 05 4	3,5	40	PZ2	160	6
310178 45 04 06 1	4	16	PZ2	320	6
310178 45 04 07 8	4	20	PZ2	320	6
310178 45 04 08 5	4	25	PZ2	250	6
310178 45 04 09 2	4	30	PZ2	150	6
310178 45 04 10 8	4	35	PZ2	150	6
310178 45 04 11 5	4	40	PZ2	120	6
310178 45 04 12 2	4	45	PZ2	100	6
310178 45 04 13 9	4	50	PZ2	90	6
310178 45 04 25 2	4	60	PZ2	80	6
310178 45 04 26 9	4,5	30	PZ2	110	6
310178 45 04 27 6	4,5	35	PZ2	110	6
310178 45 04 28 3	4,5	40	PZ2	100	6
310178 45 04 29 0	4,5	45	PZ2	80	6
310178 45 04 14 6	4,5	50	PZ2	80	6
310178 45 04 15 3	5	40	PZ2	90	6
310178 45 04 16 0	5	50	PZ2	70	6
310178 45 04 17 7	5	60	PZ2	60	6
310178 45 04 18 4	5	70	PZ2	60	6
310178 45 04 19 1	6	80	PZ3	40	6






PZ

WOOD AND CHIPBOARD

Countersunk head - Zinc-coated steel



VYNEX FR 08350
18
EN 14592+A1:2012
Labo : 0380 - Dop N°24



RELIABLE / FAST / EFFICIENT



Cardboard box

High content

EAN code	Ø	Length	Recess	Quantity	Sell unit
351400 02 51 00 5	3	12	PZ1	500	1
351400 02 51 01 2	3	16	PZ1	500	1
351400 02 51 02 9	3	20	PZ1	500	1
351400 02 51 03 6	3	25	PZ1	500	1
351400 02 51 05 0	3,5	16	PZ2	500	1
351400 02 51 06 7	3,5	20	PZ2	500	1
351400 02 51 07 4	3,5	25	PZ2	500	1
351400 02 51 08 1	3,5	30	PZ2	500	1
351400 02 51 09 8	3,5	35	PZ2	500	1
351400 02 51 10 4	3,5	40	PZ2	500	1
351400 02 51 11 1	4	16	PZ2	500	1
351400 02 51 12 8	4	20	PZ2	500	1
351400 02 51 13 5	4	25	PZ2	500	1
351400 02 51 14 2	4	30	PZ2	500	1
351400 02 51 15 9	4	35	PZ2	500	1
351400 02 51 16 6	4	40	PZ2	500	1
351400 02 51 17 3	4	45	PZ2	500	1
351400 02 51 18 0	4	50	PZ2	500	1
351400 02 51 39 5	4	60	PZ2	500	1
351400 02 51 40 1	4	70	PZ2	500	1

EAN code	Ø	Length	Recess	Quantity	Sell unit
351400 02 51 19 7	4,5	30	PZ2	500	1
351400 02 51 20 3	4,5	35	PZ2	500	1
351400 02 51 21 0	4,5	40	PZ2	500	1
351400 02 51 44 9	4,5	50	PZ2	500	1
351400 02 51 45 6	4,5	60	PZ2	500	1
351400 02 51 46 3	4,5	70	PZ2	200	1
351400 02 51 23 4	5	30	PZ2	500	1
351400 02 51 24 1	5	40	PZ2	500	1
351400 02 51 48 7	5	50	PZ2	500	1
351400 02 51 49 4	5	60	PZ2	200	1
351400 02 51 50 0	5	70	PZ2	200	1
351400 02 51 51 7	5	80	PZ2	200	1
351400 02 51 55 5	6	50	PZ3	200	1
351400 02 51 56 2	6	60	PZ3	200	1
351400 02 51 57 9	6	70	PZ3	150	1
351400 02 51 58 6	6	80	PZ3	150	1
351400 02 51 60 9	6	100	PZ3	150	1
351400 02 51 61 6	6	120	PZ3	100	1
351400 02 51 62 3	6	140	PZ3	100	1





T

WOOD AND CHIPBOARD

Countersunk head - Zinc-coated steel



Making the difference through cutting-edge technology.

The technical characteristics of ROCKET screws (slim, sharpened point; ribbed thread; hard-wearing triple cone), allied to their physical characteristics (high-quality steel, thermal treatment, dry lubrication, etc.) make these high-quality screws.

ROCKET screws deliver performance levels that are significantly higher than with standard screws, ticking all the boxes: initial grip, break resistance, non-splitting and durability.

The star head provides a more secure grip during screwing and unscrewing, while allowing you to work in tricky positions, ensuring you have enough force to get the job done right.



VYNEX FR 08350
18

EN 14592+A1:2012
Labo : 0380 - Dop N°24

ROCKET®

RELIABLE / FAST / EFFICIENT



Cardboard box

Small content

EAN code	Ø	Length	Recess	Quantity	Sell unit
310178 45 00 50 6	3	10	T10	35	6
310178 45 00 51 3	3	12	T10	35	6
310178 45 00 52 0	3	16	T10	30	6
310178 45 00 53 7	3	20	T10	30	6
310178 45 00 54 4	3	25	T10	30	6
310178 45 00 55 1	3	30	T10	30	6
310178 45 00 56 8	3,5	12	T15	30	6
310178 45 00 57 5	3,5	16	T15	30	6
310178 45 00 58 2	3,5	20	T15	30	6
310178 45 00 59 9	3,5	25	T15	30	6
310178 45 00 60 5	3,5	30	T15	30	6
310178 45 00 61 2	3,5	35	T15	30	6
310178 45 00 62 9	3,5	40	T15	30	6
310178 45 00 63 6	4	16	T20	30	6
310178 45 00 64 3	4	20	T20	25	6
310178 45 00 65 0	4	25	T20	25	6
310178 45 00 66 7	4	30	T20	25	6
310178 45 00 67 4	4	35	T20	25	6
310178 45 00 68 1	4	40	T20	25	6
310178 45 00 70 4	4	50	T20	25	6
310178 45 00 71 1	4	60	T20	12	6
310178 45 00 72 8	4	70	T20	12	6
310178 45 00 73 5	4,5	20	T20	25	6

EAN code	Ø	Length	Recess	Quantity	Sell unit
310178 45 00 74 2	4,5	25	T20	20	6
310178 45 00 75 9	4,5	30	T20	20	6
310178 45 00 76 6	4,5	35	T20	20	6
310178 45 00 77 3	4,5	40	T20	20	6
310178 45 00 78 0	4,5	45	T20	12	6
310178 45 00 79 7	4,5	50	T20	12	6
310178 45 00 80 3	4,5	60	T20	12	6
310178 45 00 81 0	5	20	T25	25	6
310178 45 00 82 7	5	30	T25	20	6
310178 45 00 84 1	5	40	T25	12	6
310178 45 00 89 6	5	80	T25	12	6
310178 45 00 90 2	6	40	T30	10	6
310178 45 00 91 9	6	50	T30	10	6
310178 45 00 93 3	6	70	T30	8	6
310178 45 00 94 0	6	80	T30	8	6
310178 45 00 95 7	6	90	T30	8	6
310178 45 00 96 4	6	100	T30	8	6
310178 45 00 97 1	6	120	T30	6	6






T

WOOD AND CHIPBOARD

Countersunk head - Zinc-coated steel



VYNEX FR 08350
18
EN 14592+A1:2012
Labo : 0380 - Dop N°24

RELIABLE / FAST / EFFICIENT



Cardboard box

Medium content

EAN code	Ø	Length	Recess	Quantity	Sell unit
310178 45 02 50 0	3	10	T10	110	6
310178 45 02 51 7	3	12	T10	110	6
310178 45 02 52 4	3	16	T10	110	6
310178 45 02 53 1	3	20	T10	110	6
310178 45 02 54 8	3	25	T10	110	6
310178 45 02 55 5	3	30	T10	110	6
310178 45 02 56 2	3,5	12	T15	110	6
310178 45 02 57 9	3,5	16	T15	110	6
310178 45 02 58 6	3,5	20	T15	110	6
310178 45 02 59 3	3,5	25	T15	110	4
310178 45 02 60 9	3,5	30	T15	110	4
310178 45 02 61 6	3,5	35	T15	110	4
310178 45 02 62 3	3,5	40	T15	60	4
310178 45 02 63 0	4	16	T20	110	4
310178 45 02 64 7	4	20	T20	110	4
310178 45 02 65 4	4	25	T20	110	4
310178 45 02 66 1	4	30	T20	50	6
310178 45 02 67 8	4	35	T20	50	6
310178 45 02 68 5	4	40	T20	50	6
310178 45 02 70 8	4	50	T20	50	6
310178 45 02 71 5	4	60	T20	50	6
310178 45 02 72 2	4	70	T20	30	6
310178 45 02 73 9	4,5	20	T20	110	4
310178 45 02 74 6	4,5	25	T20	110	4
310178 45 02 75 3	4,5	30	T20	50	4
310178 45 02 76 0	4,5	35	T20	50	4
310178 45 02 77 7	4,5	40	T20	50	4
310178 45 02 78 4	4,5	45	T20	50	4
310178 45 02 79 1	4,5	50	T20	50	4
310178 45 02 80 7	4,5	60	T20	30	4
310178 45 02 81 4	5	20	T25	110	4
310178 45 02 82 1	5	30	T25	50	4
310178 45 02 84 5	5	40	T25	50	4
310178 45 02 86 9	5	50	T25	50	4
310178 45 02 87 6	5	60	T25	30	4
310178 45 02 89 0	5	80	T25	30	6
310178 45 02 90 6	6	40	T30	40	4
310178 45 02 91 3	6	50	T30	30	4
310178 45 02 92 0	6	60	T30	30	4
310178 45 02 93 7	6	70	T30	30	6

EAN code	Ø	Length	Recess	Quantity	Sell unit
310178 45 02 94 4	6	80	T30	25	6
310178 45 02 95 1	6	90	T30	25	6
310178 45 02 96 8	6	100	T30	20	6
310178 45 02 97 5	6	120	T30	15	6



Cardboard box

High content


EAN code	Ø	Length	Recess	Quantity	Sell unit
310178 45 04 41 2	3	16	T10	320	6
310178 45 04 42 9	3	20	T10	320	6
310178 45 04 43 6	3	25	T10	320	6
310178 45 04 44 3	3	30	T10	220	6
310178 45 04 60 3	3,5	16	T15	320	6
310178 45 04 61 0	3,5	20	T15	320	6
310178 45 04 62 7	3,5	25	T15	250	6
310178 45 04 63 4	3,5	30	T15	200	6
310178 45 04 64 1	3,5	35	T15	180	6
310178 45 04 45 0	3,5	40	T15	160	6
310178 45 04 46 7	4	16	T20	320	6
310178 45 04 47 4	4	20	T20	320	6
310178 45 04 48 1	4	25	T20	250	6
310178 45 04 49 8	4	30	T20	150	6
310178 45 04 50 4	4	35	T20	150	6
310178 45 04 51 1	4	40	T20	120	6
310178 45 04 52 8	4	45	T20	100	6
310178 45 04 53 5	4	50	T20	90	6
310178 45 04 65 8	4	60	T20	80	6
310178 45 04 66 5	4,5	30	T20	110	6
310178 45 04 67 2	4,5	35	T20	110	6
310178 45 04 68 9	4,5	40	T20	100	6
310178 45 04 69 6	4,5	45	T20	80	6
310178 45 04 54 2	4,5	50	T20	80	6
310178 45 04 55 9	5	40	T25	90	6
310178 45 04 56 6	5	50	T25	70	6
310178 45 04 57 3	5	60	T25	60	6
310178 45 04 58 0	5	70	T25	60	6
310178 45 04 59 7	6	80	T30	40	6



T

WOOD AND CHIPBOARD

Countersunk head - Zinc-coated steel



VYNEX FR 08350
18
EN 14592+A1:2012
Labo : 0380 - Dop N°24

RELIABLE / FAST / EFFICIENT



Cardboard box

High content

EAN code	Ø	Length	Recess	Quantity	Sell unit
351400 02 50 01 5	3	12	T10	500	1
351400 02 50 02 2	3	16	T10	500	1
351400 02 50 03 9	3	20	T10	500	1
351400 02 50 04 6	3	25	T10	500	1
351400 02 50 05 3	3	30	T10	500	1
351400 02 50 09 1	3,5	16	T15	500	1
351400 02 50 10 7	3,5	20	T15	500	1
351400 02 50 11 4	3,5	25	T15	500	1
351400 02 50 12 1	3,5	30	T15	500	1
351400 02 50 14 5	3,5	35	T15	500	1
351400 02 50 16 9	3,5	40	T15	500	1
351400 02 50 19 0	4	16	T20	500	1
351400 02 50 20 6	4	20	T20	500	1
351400 02 50 21 3	4	25	T20	500	1
351400 02 50 23 7	4	30	T20	500	1
351400 02 50 24 4	4	35	T20	500	1
351400 02 50 26 8	4	40	T20	500	1
351400 02 50 28 2	4	45	T20	500	1
351400 02 50 30 5	4	50	T20	500	1
351400 02 50 33 6	4	60	T20	500	1
351400 02 50 34 3	4	70	T20	500	1
351400 02 50 38 1	4,5	30	T20	500	1
351400 02 50 39 8	4,5	35	T20	500	1
351400 02 50 41 1	4,5	40	T20	500	1
351400 02 50 44 2	4,5	50	T20	500	1
351400 02 50 46 6	4,5	60	T20	500	1
351400 02 50 47 3	4,5	70	T20	200	1
351400 02 50 51 0	5	30	T25	500	1

EAN code	Ø	Length	Recess	Quantity	Sell unit
351400 02 50 53 4	5	40	T25	500	1
351400 02 50 54 1	5	45	T25	500	1
351400 02 50 56 5	5	50	T25	500	1
351400 02 50 59 6	5	60	T25	200	1
351400 02 50 60 2	5	70	T25	200	1
351400 02 50 61 9	5	80	T25	200	1
351400 02 50 62 6	5	90	T25	200	1
351400 02 50 63 3	5	100	T25	200	1
351400 02 50 67 1	6	40	T30	200	1
351400 02 50 68 8	6	50	T30	200	1
351400 02 50 69 5	6	60	T30	200	1
351400 02 50 70 1	6	70	T30	150	1
351400 02 50 71 8	6	80	T30	150	1
351400 02 50 72 5	6	90	T30	150	1
351400 02 50 73 2	6	100	T30	150	1
351400 02 50 75 6	6	120	T30	100	1
351400 02 50 77 0	6	140	T30	100	1
351400 02 50 79 4	6	160	T30	100	1
351400 02 50 80 0	6	180	T30	100	1






T

WOOD AND CHIPBOARD

Rounded head - Zinc-coated steel



Perfect for attaching metal to wood
or using wall plugs.

Both the technical characteristics (slim, sharpened point; ribbed thread; hard-wearing triple cone) and physical characteristics (high-quality steel, thermal treatment, dry lubrication, etc.) remain the same.

+ PRODUCTS

- Its wide head ensures thin wood parts stay in place, in situations where a countersunk head would not be suitable.
- Widely-used in joinery, design and kitchens, white zinc-coating fits perfectly with the different nuts and bolts.
- The star head ensures the screw grips the bit.

ROCKET®

RELIABLE / FAST / EFFICIENT



Cardboard box

Small content



Cardboard box

High content

EAN code	Ø	Length	Recess	Quantity	Sell unit
310178 45 05 00 6	3	10	T10	35	6
310178 45 05 01 3	3	13	T10	35	6
310178 45 05 02 0	3	16	T10	30	6
310178 45 05 03 7	3	20	T10	30	6
310178 45 05 04 4	3	25	T10	30	6
310178 45 05 06 8	3,5	16	T15	30	6
310178 45 05 07 5	3,5	20	T15	30	6
310178 45 05 08 2	3,5	25	T15	30	6
310178 45 05 10 5	4	16	T20	30	6
310178 45 05 11 2	4	20	T20	25	6
310178 45 05 12 9	4	25	T20	25	6
310178 45 05 13 6	4	30	T20	25	6
310178 45 05 14 3	4	35	T20	25	6
310178 45 05 15 0	4	40	T20	25	6
310178 45 05 16 7	4	45	T20	25	6
310178 45 05 17 4	4	50	T20	25	6
310178 45 05 18 1	4,5	20	T20	25	6
310178 45 05 19 8	4,5	30	T20	20	6
310178 45 05 20 4	4,5	40	T20	12	6
310178 45 05 21 1	4,5	50	T20	12	6
310178 45 05 23 5	5	30	T25	20	6
310178 45 05 24 2	5	40	T25	12	6
310178 45 05 25 9	5	50	T25	12	6
310178 45 05 26 6	5	60	T25	12	6
310178 45 05 27 3	6	40	T30	10	6
310178 45 05 28 0	6	50	T30	10	6
310178 45 05 29 7	6	60	T30	8	6
310178 45 05 30 3	6	80	T30	8	6

EAN code	Ø	Length	Recess	Quantity	Sell unit
310178 45 05 31 0	4	16	T20	320	6
310178 45 05 33 4	4	30	T20	150	6
310178 45 05 34 1	4	40	T20	120	6






PZ

WOOD AND CHIPBOARD

Countersunk head - A2 stainless steel



The ideal screw for working outdoors or in damp environments such as terraces, cladding or fences.

Made from high quality A2 stainless steel.
Perfect for your outdoor projects.

Outdoor wooden structures such as terraces cladding and fences require the use of treated or tropical wood in order to cope with bad weather or other vagaries.

Specific attention must be paid when building such structures. Pre-drilling recommended for hard wood.

ROCKET has a range of stainless steel screws that deliver performance and style outdoors.



VYNEX FR 08350

18

EN 14592+A1:2012

Labo : 0380 - Dop N°24

ROCKET®

RELIABLE / FAST / EFFICIENT



Cardboard box

Small content



Cardboard box

Medium content

EAN code	Ø	Length	Recess	Quantity	Sell unit
310178 45 01 30 5	3	16	PZ1	30	6
310178 45 01 31 2	3	20	PZ1	30	6
310178 45 01 32 9	3,5	25	PZ2	30	6
310178 45 01 33 6	3,5	30	PZ2	25	6
310178 45 01 34 3	4	20	PZ2	25	6
310178 45 01 35 0	4	25	PZ2	25	6
310178 45 01 36 7	4	30	PZ2	25	6
310178 45 01 37 4	4	35	PZ2	25	6
310178 45 01 38 1	4	40	PZ2	25	6
310178 45 01 39 8	4	45	PZ2	25	6
310178 45 01 40 4	4	50	PZ2	25	6
310178 45 01 41 1	4,5	40	PZ2	20	6
310178 45 01 42 8	4,5	45	PZ2	12	6
310178 45 01 43 5	4,5	50	PZ2	12	6
310178 45 01 45 9	5	40	PZ2	12	6
310178 45 01 46 6	5	50	PZ2	12	6
310178 45 01 47 3	5	60	PZ2	12	6
310178 45 01 48 0	5	70	PZ2	12	6
310178 45 01 49 7	6	40	PZ3	10	6
310178 45 01 50 3	6	50	PZ3	10	6
310178 45 01 51 0	6	60	PZ3	8	6

EAN code	Ø	Length	Recess	Quantity	Sell unit
310178 45 03 30 9	3	16	PZ1	110	6
310178 45 03 31 6	3	20	PZ1	110	6
310178 45 03 32 3	3,5	25	PZ2	110	4
310178 45 03 33 0	3,5	30	PZ2	110	4
310178 45 03 34 7	4	20	PZ2	110	4
310178 45 03 35 4	4	25	PZ2	110	4
310178 45 03 36 1	4	30	PZ2	50	6
310178 45 03 37 8	4	35	PZ2	50	6
310178 45 03 38 5	4	40	PZ2	50	6
310178 45 03 39 2	4	45	PZ2	50	6
310178 45 03 40 8	4	50	PZ2	50	6
310178 45 03 41 5	4,5	40	PZ2	50	4
310178 45 03 42 2	4,5	45	PZ2	50	4
310178 45 03 43 9	4,5	50	PZ2	50	4
310178 45 03 44 6	4,5	55	PZ2	30	4
310178 45 03 45 3	4,5	60	PZ2	30	4
310178 45 03 46 0	5	30	PZ2	50	4
310178 45 03 47 7	5	40	PZ2	50	4
310178 45 03 48 4	5	50	PZ2	50	4
310178 45 03 49 1	5	60	PZ2	50	4
310178 45 03 50 7	5	70	PZ2	30	6
310178 45 03 51 4	5	80	PZ2	30	6
310178 45 03 52 1	6	40	PZ3	40	4
310178 45 03 53 8	6	50	PZ3	30	4
310178 45 03 54 5	6	60	PZ3	30	4
310178 45 03 55 2	6	70	PZ3	30	6
310178 45 03 56 9	6	80	PZ3	25	6
310178 45 03 57 6	6	100	PZ3	20	6



Cardboard box

High content

EAN code	Ø	Length	Recess	Quantity	Sell unit
310178 45 05 55 6	4	20	PZ2	320	6
310178 45 05 58 7	4	40	PZ2	120	6
310178 45 05 59 4	5	50	PZ2	70	6






T

WOOD AND CHIPBOARD

Countersunk head - A2 stainless steel



The ideal screw for working outdoors or in damp environments such as terraces, cladding or fences.

Made from high quality A2 stainless steel. Perfect for your outdoor projects.

Outdoor wooden structures such as terraces cladding and fences require the use of treated or tropical wood in order to cope with bad weather or other vagaries.

Specific attention must be paid when building such structures. Pre-drilling recommended for hard wood.

ROCKET has a range of stainless steel screws that deliver performance and style outdoors.



VYNEX FR 08350

18

EN 14592+A1:2012

Labo : 0380 - Dop N°24

ROCKET®

RELIABLE / FAST / EFFICIENT



Cardboard box

Small content

EAN code	Ø	Length	Recess	Quantity	Sell unit
310178 45 01 00 8	3	16	T10	30	6
310178 45 01 01 5	3,5	20	T15	30	6
310178 45 01 02 2	3,5	25	T15	30	6
310178 45 01 03 9	4	25	T20	25	6
310178 45 01 04 6	4	30	T20	25	6
310178 45 01 05 3	4	35	T20	25	6
310178 45 01 06 0	4	40	T20	25	6
310178 45 01 07 7	4	45	T20	25	6
310178 45 01 08 4	4	50	T20	25	6
310178 45 01 09 1	4,5	45	T20	12	6
310178 45 01 10 7	4,5	50	T20	12	6
310178 45 01 11 4	4,5	55	T20	12	6
310178 45 01 12 1	4,5	60	T20	12	6
310178 45 01 13 8	5	40	T25	12	6
310178 45 01 14 5	5	50	T25	12	6
310178 45 01 15 2	5	60	T25	12	6
310178 45 01 16 9	5	70	T25	12	6
310178 45 01 18 3	6	50	T30	10	6
310178 45 01 19 0	6	60	T30	8	6



Cardboard box

High content

EAN code	Ø	Length	Recess	Quantity	Sell unit
351400 71 40 25 8	4	25	T20	200	1
351400 71 40 30 2	4	30	T20	200	1
351400 71 40 35 7	4	35	T20	200	1
351400 71 40 40 1	4	40	T20	200	1
351400 71 40 45 6	4	45	T20	200	1
351400 71 40 50 0	4	50	T20	200	1
351400 71 45 45 1	4,5	45	T20	200	1
351400 71 45 50 5	4,5	50	T20	200	1
351400 71 50 50 9	5	50	T25	200	1
351400 71 50 60 8	5	60	T25	200	1
351400 71 50 70 7	5	70	T25	100	1
351400 71 50 80 6	5	80	T25	100	1
351400 71 60 50 8	6	50	T30	100	1
351400 71 60 60 7	6	60	T30	50	1
351400 71 60 80 5	6	80	T30	50	1
351400 71 61 00 0	6	100	T30	50	1



Cardboard box

Medium content

EAN code	Ø	Length	Recess	Quantity	Sell unit
310178 45 03 00 2	3	16	T10	110	6
310178 45 03 01 9	3,5	20	T15	110	6
310178 45 03 02 6	3,5	25	T15	110	4
310178 45 03 03 3	4	25	T20	110	4
310178 45 03 04 0	4	30	T20	50	6
310178 45 03 05 7	4	35	T20	50	6
310178 45 03 06 4	4	40	T20	50	6
310178 45 03 07 1	4	45	T20	50	6
310178 45 03 08 8	4	50	T20	50	6
310178 45 03 09 5	4,5	45	T20	50	4
310178 45 03 10 1	4,5	50	T20	50	4
310178 45 03 11 8	4,5	55	T20	30	4
310178 45 03 12 5	4,5	60	T20	30	4
310178 45 03 13 2	5	40	T25	50	4
310178 45 03 14 9	5	50	T25	50	4
310178 45 03 15 6	5	60	T25	30	4
310178 45 03 16 3	5	70	T25	30	4
310178 45 03 17 0	5	80	T25	30	6
310178 45 03 18 7	6	50	T30	30	4
310178 45 03 19 4	6	60	T30	30	4
310178 45 03 20 0	6	70	T30	30	6
310178 45 03 21 7	6	80	T30	25	6
310178 45 03 22 4	6	100	T30	20	6
310178 45 03 23 1	6	120	T30	15	6



Cardboard box

High content


EAN code	Ø	Length	Recess	Quantity	Sell unit
310178 45 05 52 5	5	50	T25	70	6
310178 45 05 53 2	5	60	T25	60	6
310178 45 05 54 9	6	80	T30	40	6



T

\ HINGE

Cylindrical head - Black-zinc-coated steel



Everything you'd expect from a ROCKET screw, only for hinges.

Delivers enhanced durability.
Non-split system ensures wood won't split over time, particularly on shutters.

The thickness of the coating (black) guarantees longevity for external use.

ROCKET®

RELIABLE / FAST / EFFICIENT



Cardboard box

Small content

EAN code	Ø	Length	Recess	Quantity	Sell unit
310178 45 01 60 2	6	30	T30	8	6
310178 45 01 61 9	6	40	T30	8	6
310178 45 01 62 6	6	50	T30	8	6
310178 45 01 63 3	7	40	T30	8	6
310178 45 01 64 0	7	50	T30	8	6
310178 45 01 65 7	7	60	T30	8	6



Cardboard box

Medium content

EAN code	Ø	Length	Recess	Quantity	Sell unit
310178 45 03 60 6	6	30	T30	30	4
310178 45 03 61 3	6	35	T30	30	4
310178 45 03 62 0	6	40	T30	24	4
310178 45 03 63 7	6	50	T30	20	4
310178 45 03 64 4	7	30	T30	30	4
310178 45 03 65 1	7	40	T30	24	4
310178 45 03 66 8	7	50	T30	20	4
310178 45 03 67 5	7	60	T30	20	4



Cardboard box

High content

EAN code	Ø	Length	Recess	Quantity	Sell unit
310178 45 03 74 3	6	30	T30	60	6
310178 45 03 75 0	6	40	T30	40	6
310178 45 03 76 7	6	50	T30	30	6



Cardboard box

High content

EAN code	Ø	Length	Recess	Quantity	Sell unit
351400 22 22 45 4	6	30	T30	200	1
351400 22 22 47 8	6	40	T30	200	1
351400 22 22 48 5	6	50	T30	200	1
351400 22 22 51 5	7	50	T30	100	1
351400 22 22 52 2	7	60	T30	100	1






T

\ HINGE

Cylindrical head - A2 stainless steel



Everything you'd expect from a ROCKET screw, only for hinges.

Delivers enhanced durability.
Non-split system ensures wood won't split over time, particularly on shutters.

The thickness of the material (A2 stainless steel) guarantees longevity for external use.

ROCKET®

RELIABLE / FAST / EFFICIENT



Cardboard box

Small content



Cardboard box

Medium content

EAN code	Ø	Length	Recess	Quantity	Sell unit
310178 45 01 66 4	6	30	T30	8	6
310178 45 01 67 1	6	40	T30	8	6
310178 45 01 68 8	6	50	T30	8	6
310178 45 01 69 5	7	40	T30	8	6
310178 45 01 70 1	7	50	T30	8	6
310178 45 01 71 8	7	60	T30	8	6

EAN code	Ø	Length	Recess	Quantity	Sell unit
310178 45 03 68 2	6	30	T30	30	4
310178 45 03 69 9	6	40	T30	24	4
310178 45 03 70 5	6	50	T30	20	4
310178 45 03 71 2	7	40	T30	24	4
310178 45 03 72 9	7	50	T30	20	4
310178 45 03 73 6	7	60	T30	20	4




Cardboard box

High content

EAN code	Ø	Length	Recess	Quantity	Sell unit
310178 45 03 77 4	6	30	T30	60	6
310178 45 03 78 1	6	40	T30	40	6
310178 45 03 79 8	6	50	T30	30	6






TH

HEXAGONAL WOODSCREWS

Hexagonal head - Bichromate steel - Cardboard box



Screwing is just as quick, with a high-quality finish.

Guaranteed to save you time.

No pre-drilling required, can be screwed directly, saving you 60% on time.

Suitable for use on wooden buildings, structures, roofs, etc. the high quality steel prevents splitting and is capable of handling the most powerful screw guns on the market.

Built-in washer for greater ease of use.

+ PRODUCTS

- Forged washer = Save time on screwing
- Reinforced cone = Enhanced split-resistance
- Bichromate steel for easy screwing
- Countersunk thread end = Stabilises tightening torque (lengths of 80mm and greater)
- 40° thread angle = Enhanced pull-out resistance
- Grooved hexagonal thread = self-tapping
- Sharpened point to reduce splitting
- 22 to 25° tapered point for precise screwing.

ROCKET[®]

RELIABLE / FAST / EFFICIENT



Cardboard box

High content

EAN code	Ø	Lenght	Recess	Quantity	Sell unit
351400 22 55 20 9	6	40	N°8	300	1
351400 22 55 21 6	6	50	N°8	200	1
351400 22 55 22 3	6	60	N°8	200	1
351400 22 55 28 5	8	60	N°10	100	1
351400 22 55 30 8	8	80	N°10	75	1
351400 22 55 31 5	8	100	N°10	75	1
351400 22 55 32 2	8	120	N°10	50	1
351400 22 55 33 9	8	140	N°10	50	1
351400 22 55 34 6	8	160	N°10	50	1
351400 22 55 35 3	10	100	N°13	50	1
351400 22 55 36 0	10	120	N°13	40	1
351400 22 55 37 7	10	140	N°13	40	1
351400 22 55 38 4	10	160	N°13	40	1





T

\ FLOORING

Countersunk head - Zinc-coated steel



Everything you'd expect from a ROCKET screw, only for flooring.

Delivers enhanced durability.

The ideal screw for fitting floorboards or tongue and groove ceilings and walls.

This screw features a reduced, countersunk ribbed head for the perfect grip and finish, plus a sharpened point to prevent the wood from splitting.

+ PRODUCTS

- 4 ribs below the head for the perfect grip and finish.
- Partially threaded = brings the board closer to its bracket.
- Sharpened point to eliminate wood splitting.
- 24 to 26° tapered point for precise screwing.



\ Cardboard box

High content

EAN code	Ø	Lenght	Recess	Quantity	Sell unit
310178 45 05 40 2	3,5	35	T10	150	6
310178 45 05 41 9	3,5	45	T10	120	6
310178 45 05 42 6	3,5	55	T10	120	6

ROCKET®

**RELIABLE
FAST
EFFICIENT**



TERRACE

Countersunk head - A2 stainless steel



The ideal screw for use on terraces.

Finishing and optimal visual with its small head which allows an anchoring in the wood. Its geometry has been studied to allow a perfect finish and to facilitate a durable anchoring in the wood.

Mandatory pre-drilling in accordance with the DTU.

+ PRODUCTS

- Double-threaded screw ensures boards are held in place on joists.
- Star-head T25 for ease of use.
- Corrosion-resistant A2 stainless steel coating.



Cardboard box

High content


EAN code	Ø	Length	Recess	Quantity	Sell unit
351400 02 95 50 4	5	50	T25	200	1
351400 02 95 60 3	5	60	T25	200	1
351400 42 95 70 2	5	70	T25	100	1



VYNEX FR 08350
20
EN 14592+A1:2012
Labo : 1015 - Dop N°26

ROCKET[®]

RELIABLE
FAST
EFFICIENT



08350 THELONNE
FRANCE \

www.rocket.eu

E-mail : contact@vynex.fr

Follow us



International V2