ROCKET®



CATALOGUE

Solutions for all wooden constructions

ROCKET®



Solutions for all wooden constructions

TABLE OF CONTENTS

Screw characteristics — page 4

Local screw production in France — page 5

Wood and chipboard screw countersunk head — zinc coated PZ — pages 6 - 11

Wood and chipboard screw countersunk head — zinc coated T — pages 12 - 17

Wood and chipboard screw round head — zinc coated T — pages 18 - 19

Wood and chipboard screw countersunk head — stainless steel A2 PZ — pages 20- 21

Wood and chipboard screw countersunk head — stainless steel A2 T — pages 22 - 23

Hinge screw cylindrical head — black zinc coated steel T — pages 24 - 25


Hinge screw cylindrical head — stainless steel A2 T — pages 26 - 27

Wood screw Hexagonal head — Bichromate steel — pages 28 - 29

Flooring screw countersunk head-star — zinc-coated steel T — page 30

Terrace screw countersunk head-star — stainless steel A2 T — page 31

SCREW CHARACTERISTICS



1 **4 notches below the head**

1 - Better flush countersinking in wood and metal

2 **Triple cone**

2 - Greater penetration and higher torque resistance

3 **Zinc coated steel**

3 - Durable corrosion protection Chromium (VI) free

4 **6 ribs below the thread**

4 - Reduces screwing resistance

5 **Wider thread spacing**

5 - Quicker screwing

6 **Variable screw and thread diameters**

6 - Reduces frictions and saves battery power

7 **Cutting tip**

7 - Prevents wood splitting

LOCAL SCREW PRODUCTION IN FRANCE









Back to ‘Made in France’

Already established in the Ardennes with logistics, packacking and printing, Vynex is now also relocating the industrial production of ROCKET screws back to France.

ROCKET has always been developed in France and is now being produced there again.

ROCKET as a premium product

The manufacture of mass-produced fasteners by cold stamping has almost disappeared in France; the market is dominated by supply manufacturing from Asia.

For Vynex, this has been a strategic priority for several years in order to defend and develop its ROCKET brand in the long term.

Sustainable production in the Ardennes

Initially, Vynex plans to relocate approximately 25 % of ROCKET production and develop additional volumes of long technical screws.

In the longer term, Vynex intends to develop its industrial know-how by reviving this sector in France. This approach is part of the company‘s CSR plan to reduce its carbon footprint by using more local resources.



\ WOOD AND CHIPBOARD

PZ

Countersunk head — Zinc-plated steel







Making the difference through cutting-edge technology.

The technical and physical characteristics make ROCKET screws a high quality product: slim, sharpened point, ribbed thread, hard-wearing triple cone, high-quality steel, thermal treatment, dry lubrication.

ROCKET screws deliver performance levels that are significantly higher than with standard screws, ticking all the boxes: initial grip, break restistance, non-splitting and durability.

ROCKET®

CE

VYNEX FR 08350
18
EN 14592+A1:2012
Labo : 0380 - Dop N°24

RELIABLE / FAST / EFFICIENT



Cardboard box

Small content

EAN code	Ø	Length	Recess	Content	PU
310178 **45 00 00** 1	**3**	**12**	**PZ1**	35	6
310178 **45 00 01** 8	**3**	**16**	**PZ1**	30	6
310178 **45 00 02** 5	**3**	**20**	**PZ1**	30	6
310178 **45 00 03** 2	**3**	**25**	**PZ1**	30	6
310178 **45 00 04** 9	**3**	**30**	**PZ1**	30	6
310178 **45 00 05** 6	**3.5**	**16**	**PZ2**	30	6
310178 **45 00 06** 3	**3.5**	**20**	**PZ2**	30	6
310178 **45 00 07** 0	**3.5**	**25**	**PZ2**	30	6
310178 **45 00 08** 7	**3.5**	**30**	**PZ2**	30	6
310178 **45 00 09** 4	**3.5**	**35**	**PZ2**	30	6
310178 **45 00 10** 0	**3.5**	**40**	**PZ2**	30	6
310178 **45 00 12** 4	**4**	**16**	**PZ2**	30	6
310178 **45 00 13** 1	**4**	**20**	**PZ2**	25	6
310178 **45 00 14** 8	**4**	**25**	**PZ2**	25	6
310178 **45 00 15** 5	**4**	**30**	**PZ2**	25	6
310178 **45 00 16** 2	**4**	**35**	**PZ2**	25	6
310178 **45 00 17** 9	**4**	**40**	**PZ2**	25	6
310178 **45 00 18** 6	**4**	**45**	**PZ2**	25	6
310178 **45 00 19** 3	**4**	**50**	**PZ2**	25	6
310178 **45 00 20** 9	**4**	**60**	**PZ2**	12	6
310178 **45 00 21** 6	**4**	**70**	**PZ2**	12	6

EAN code	Ø	Length	Recess	Content	PU
310178 **45 00 24** 7	**4.5**	**30**	**PZ2**	20	6
310178 **45 00 25** 4	**4.5**	**35**	**PZ2**	20	6
310178 **45 00 26** 1	**4.5**	**40**	**PZ2**	12	6
310178 **45 00 27** 8	**4.5**	**45**	**PZ2**	12	6
310178 **45 00 28** 5	**4.5**	**50**	**PZ2**	12	6
310178 **45 00 29** 2	**4.5**	**60**	**PZ2**	12	6
310178 **45 00 30** 8	**5**	**20**	**PZ2**	25	6
310178 **45 00 31** 5	**5**	**30**	**PZ2**	20	6
310178 **45 00 33** 9	**5**	**40**	**PZ2**	12	6
310178 **45 00 38** 4	**5**	**80**	**PZ2**	12	6
310178 **45 00 42** 1	**6**	**70**	**PZ3**	8	6
310178 **45 00 43** 8	**6**	**80**	**PZ3**	8	6
310178 **45 00 44** 5	**6**	**90**	**PZ3**	8	6
310178 **45 00 45** 2	**6**	**100**	**PZ3**	8	6



\ WOOD AND CHIPBOARD

PZ

Countersunk head — Zinc-plated steel









ROCKET®

VYNEX FR 08350
18
EN 14592+A1:2012
Labo : 0380 - Dop N°24

RELIABLE / FAST / EFFICIENT



Cardboard box

Medium content



EAN code	Ø	Length	Recess	Content	PU
310178 **45 02 00** 5	**3**	**12**	**PZ1**	110	6
310178 **45 02 01** 2	**3**	**16**	**PZ1**	110	6
310178 **45 02 02** 9	**3**	**20**	**PZ1**	110	6
310178 **45 02 03** 6	**3**	**25**	**PZ1**	110	6
310178 **45 02 04** 3	**3**	**30**	**PZ1**	110	6
310178 **45 02 05** 0	**3.5**	**16**	**PZ2**	110	6
310178 **45 02 06** 7	**3.5**	**20**	**PZ2**	110	6
310178 **45 02 07** 4	**3.5**	**25**	**PZ2**	110	4
310178 **45 02 08** 1	**3.5**	**30**	**PZ2**	110	4
310178 **45 02 09** 8	**3.5**	**35**	**PZ2**	110	4
310178 **45 02 10** 4	**3.5**	**40**	**PZ2**	60	4
310178 **45 02 11** 1	**4**	**16**	**PZ2**	110	4
310178 **45 02 12** 8	**4**	**20**	**PZ2**	110	4
310178 **45 02 13** 5	**4**	**25**	**PZ2**	110	4
310178 **45 02 14** 2	**4**	**30**	**PZ2**	50	6
310178 **45 02 15** 9	**4**	**35**	**PZ2**	50	6
310178 **45 02 16** 6	**4**	**40**	**PZ2**	50	6
310178 **45 02 17** 3	**4**	**45**	**PZ2**	50	6
310178 **45 02 18** 0	**4**	**50**	**PZ2**	50	6
310178 **45 02 19** 7	**4**	**60**	**PZ2**	50	6
310178 **45 02 20** 3	**4**	**70**	**PZ2**	30	6
310178 **45 02 23** 4	**4.5**	**30**	**PZ2**	50	4
310178 **45 02 24** 1	**4.5**	**35**	**PZ2**	50	4
310178 **45 02 25** 8	**4.5**	**40**	**PZ2**	50	4
310178 **45 02 26** 5	**4.5**	**45**	**PZ2**	50	4
310178 **45 02 27** 2	**4.5**	**50**	**PZ2**	50	4
310178 **45 02 28** 9	**4.5**	**60**	**PZ2**	30	4
310178 **45 02 29** 6	**5**	**20**	**PZ2**	110	4
310178 **45 02 30** 2	**5**	**30**	**PZ2**	50	4
310178 **45 02 32** 6	**5**	**40**	**PZ2**	50	4
310178 **45 02 34** 0	**5**	**50**	**PZ2**	50	4
310178 **45 02 35** 7	**5**	**60**	**PZ2**	30	4
310178 **45 02 37** 1	**5**	**80**	**PZ2**	30	6
310178 **45 02 38** 8	**6**	**40**	**PZ3**	40	4
310178 **45 02 39** 5	**6**	**50**	**PZ3**	40	4
310178 **45 02 40** 1	**6**	**60**	**PZ3**	30	4
310178 **45 02 41** 8	**6**	**70**	**PZ3**	30	6
310178 **45 02 42** 5	**6**	**80**	**PZ3**	25	6
310178 **45 02 43** 2	**6**	**90**	**PZ3**	25	6
310178 **45 02 44** 9	**6**	**100**	**PZ3**	20	6



Cardboard box

High content

EAN code	Ø	Length	Recess	Content	PU
310178 **45 04 00** 9	**3**	**12**	**PZ1**	320	6
310178 **45 04 01** 6	**3**	**16**	**PZ1**	320	6
310178 **45 04 02** 3	**3**	**20**	**PZ1**	320	6
310178 **45 04 03** 0	**3**	**25**	**PZ1**	320	6
310178 **45 04 04** 7	**3**	**30**	**PZ1**	220	6
310178 **45 04 20** 7	**3.5**	**16**	**PZ2**	320	6
310178 **45 04 21** 4	**3.5**	**20**	**PZ2**	320	6
310178 **45 04 22** 1	**3.5**	**25**	**PZ2**	250	6
310178 **45 04 23** 8	**3.5**	**30**	**PZ2**	200	6
310178 **45 04 24** 5	**3.5**	**35**	**PZ2**	180	6
310178 **45 04 05** 4	**3.5**	**40**	**PZ2**	160	6
310178 **45 04 06** 1	**4**	**16**	**PZ2**	320	6
310178 **45 04 07** 8	**4**	**20**	**PZ2**	320	6
310178 **45 04 08** 5	**4**	**25**	**PZ2**	250	6
310178 **45 04 09** 2	**4**	**30**	**PZ2**	150	6
310178 **45 04 10** 8	**4**	**35**	**PZ2**	150	6
310178 **45 04 11** 5	**4**	**40**	**PZ2**	120	6
310178 **45 04 12** 2	**4**	**45**	**PZ2**	100	6
310178 **45 04 13** 9	**4**	**50**	**PZ2**	90	6
310178 **45 04 25** 2	**4**	**60**	**PZ2**	80	6
310178 **45 04 26** 9	**4.5**	**30**	**PZ2**	110	6
310178 **45 04 27** 6	**4.5**	**35**	**PZ2**	110	6
310178 **45 04 28** 3	**4.5**	**40**	**PZ2**	100	6
310178 **45 04 29** 0	**4.5**	**45**	**PZ2**	80	6
310178 **45 04 14** 6	**4.5**	**50**	**PZ2**	80	6
310178 **45 04 15** 3	**5**	**40**	**PZ2**	90	6
310178 **45 04 16** 0	**5**	**50**	**PZ2**	70	6
310178 **45 04 17** 7	**5**	**60**	**PZ2**	60	6
310178 **45 04 18** 4	**5**	**70**	**PZ2**	60	6
310178 **45 04 19** 1	**6**	**80**	**PZ3**	40	6



\ WOOD AND CHIPBOARD

PZ

Countersunk head — Zinc-plated steel







ROCKET

VYNEX FR 08350
18
EN 14592+A1:2012
Labo : 0380 - Dop N°24

RELIABLE / FAST / EFFICIENT



Cardboard box Profi

High content

EAN code	Ø	Length	Recess	Content	PU
351400 **02 51 00** 5	**3**	**12**	**PZ1**	500	1
351400 **02 51 01** 2	**3**	**16**	**PZ1**	500	1
351400 **02 51 02** 9	**3**	**20**	**PZ1**	500	1
351400 **02 51 03** 6	**3**	**25**	**PZ1**	500	1
351400 **02 51 05** 0	**3.5**	**16**	**PZ2**	500	1
351400 **02 51 06** 7	**3.5**	**20**	**PZ2**	500	1
351400 **02 51 07** 4	**3.5**	**25**	**PZ2**	500	1
351400 **02 51 08** 1	**3.5**	**30**	**PZ2**	500	1
351400 **02 51 09** 8	**3.5**	**35**	**PZ2**	500	1
351400 **02 51 10** 4	**3.5**	**40**	**PZ2**	500	1
351400 **02 51 11** 1	**4**	**16**	**PZ2**	500	1
351400 **02 51 12** 8	**4**	**20**	**PZ2**	500	1
351400 **02 51 13** 5	**4**	**25**	**PZ2**	500	1
351400 **02 51 14** 2	**4**	**30**	**PZ2**	500	1
351400 **02 51 15** 9	**4**	**35**	**PZ2**	500	1
351400 **02 51 16** 6	**4**	**40**	**PZ2**	500	1
351400 **02 51 17** 3	**4**	**45**	**PZ2**	500	1
351400 **02 51 18** 0	**4**	**50**	**PZ2**	500	1
351400 **02 51 39** 5	**4**	**60**	**PZ2**	500	1
351400 **02 51 40** 1	**4**	**70**	**PZ2**	500	1

EAN code	Ø	Length	Recess	Content	PU
351400 **02 51 19** 7	**4.5**	**30**	**PZ2**	500	1
351400 **02 51 20** 3	**4.5**	**35**	**PZ2**	500	1
351400 **02 51 21** 0	**4.5**	**40**	**PZ2**	500	1
351400 **02 51 44** 9	**4.5**	**50**	**PZ2**	500	1
351400 **02 51 45** 6	**4.5**	**60**	**PZ2**	500	1
351400 **02 51 23** 4	**5**	**30**	**PZ2**	500	1
351400 **02 51 24** 1	**5**	**40**	**PZ2**	500	1
351400 **02 51 48** 7	**5**	**50**	**PZ2**	500	1
351400 **02 51 49** 4	**5**	**60**	**PZ2**	200	1
351400 **02 51 50** 0	**5**	**70**	**PZ2**	200	1
351400 **02 51 51** 7	**5**	**80**	**PZ2**	200	1
351400 **02 51 55** 5	**6**	**50**	**PZ3**	200	1
351400 **02 51 56** 2	**6**	**60**	**PZ3**	200	1
351400 **02 51 57** 9	**6**	**70**	**PZ3**	150	1
351400 **02 51 58** 6	**6**	**80**	**PZ3**	150	1
351400 **02 51 60** 9	**6**	**100**	**PZ3**	150	1
351400 **02 51 61** 6	**6**	**120**	**PZ3**	100	1
351400 **02 51 62** 3	**6**	**140**	**PZ3**	100	1



T

\ WOOD AND CHIPBOARD

Countersunk head — Zinc-plated steel





Making the difference through cutting-edge technology.

The technical and physical characteristics make ROCKET screws a high quality product: slim, sharpened point, ribbed thread, hard-wearing triple cone, high-quality steel, thermal treatment, dry lubrication.

ROCKET screws deliver performance levels that are significantly higher than with standard screws, ticking all the boxes: initial grip, break restistance, non-splitting and durability.

The T-drive enables the best possible driving experience, even with difficult base materials.



ROCKET®

CE

VYNEX FR 08350
18
EN 14592+A1:2012
Labo : 0380 - Dop N°24

RELIABLE / FAST / EFFICIENT



Cardboard box

Small content

EAN code	Ø	Length	Recess	Content	PU
310178 **45 00 50** 6	**3**	**10**	**T10**	35	6
310178 **45 00 51** 3	**3**	**12**	**T10**	35	6
310178 **45 00 52** 0	**3**	**16**	**T10**	30	6
310178 **45 00 53** 7	**3**	**20**	**T10**	30	6
310178 **45 00 54** 4	**3**	**25**	**T10**	30	6
310178 **45 00 55** 1	**3**	**30**	**T10**	30	6
310178 **45 00 56** 8	**3.5**	**12**	**T15**	30	6
310178 **45 00 57** 5	**3.5**	**16**	**T15**	30	6
310178 **45 00 58** 2	**3.5**	**20**	**T15**	30	6
310178 **45 00 59** 9	**3.5**	**25**	**T15**	30	6
310178 **45 00 60** 5	**3.5**	**30**	**T15**	30	6
310178 **45 00 61** 2	**3.5**	**35**	**T15**	30	6
310178 **45 00 62** 9	**3.5**	**40**	**T15**	30	6
310178 **45 00 63** 6	**4**	**16**	**T20**	30	6
310178 **45 00 64** 3	**4**	**20**	**T20**	25	6
310178 **45 00 65** 0	**4**	**25**	**T20**	25	6
310178 **45 00 66** 7	**4**	**30**	**T20**	25	6
310178 **45 00 67** 4	**4**	**35**	**T20**	25	6
310178 **45 00 68** 1	**4**	**40**	**T20**	25	6
310178 **45 00 70** 4	**4**	**50**	**T20**	25	6
310178 **45 00 71** 1	**4**	**60**	**T20**	12	6
310178 **45 00 72** 8	**4**	**70**	**T20**	12	6
310178 **45 00 73** 5	**4.5**	**20**	**T20**	25	6

EAN code	Ø	Length	Recess	Content	PU
310178 **45 00 74** 2	**4.5**	**25**	**T20**	20	**6**
310178 **45 00 75** 9	**4.5**	**30**	**T20**	20	**6**
310178 **45 00 76** 6	**4.5**	**35**	**T20**	20	6
310178 **45 00 77** 3	**4.5**	**40**	**T20**	20	6
310178 **45 00 78** 0	**4.5**	**45**	**T20**	12	6
310178 **45 00 79** 7	**4.5**	**50**	**T20**	12	6
310178 **45 00 80** 3	**4.5**	**60**	**T20**	12	6
310178 **45 00 81** 0	**5**	**20**	**T25**	25	6
310178 **45 00 82** 7	**5**	**30**	**T25**	20	6
310178 **45 00 84** 1	**5**	**40**	**T25**	12	6
310178 **45 00 89** 6	**5**	**80**	**T25**	12	6
310178 **45 00 90** 2	**6**	**40**	**T30**	10	**6**
310178 **45 00 91** 9	**6**	**50**	**T30**	10	**6**
310178 **45 00 93** 3	**6**	**70**	**T30**	8	6
310178 **45 00 94** 0	**6**	**80**	**T30**	8	6
310178 **45 00 95** 7	**6**	**90**	**T30**	8	6
310178 **45 00 96** 4	**6**	**100**	**T30**	8	6
310178 **45 00 97** 1	**6**	**120**	**T30**	6	**6**



T

\ WOOD AND CHIPBOARD

Countersunk head — Zinc-plated steel









ROCKET®

VYNEX FR 08350
18
EN 14592+A1:2012
Labo : 0380 - Dop N°24

RELIABLE / FAST / EFFICIENT



Cardboard box

Medium content

EAN code	Ø	Length	Recess	Content	PU
310178 **45 02 50** 0	**3**	**10**	**T10**	110	6
310178 **45 02 51** 7	**3**	**12**	**T10**	110	6
310178 **45 02 52** 4	**3**	**16**	**T10**	110	6
310178 **45 02 53** 1	**3**	**20**	**T10**	110	6
310178 **45 02 54** 8	**3**	**25**	**T10**	110	6
310178 **45 02 55** 5	**3**	**30**	**T10**	110	6
310178 **45 02 56** 2	**3.5**	**12**	**T15**	110	6
310178 **45 02 57** 9	**3.5**	**16**	**T15**	110	6
310178 **45 02 58** 6	**3.5**	**20**	**T15**	110	6
310178 **45 02 59** 3	**3.5**	**25**	**T15**	110	4
310178 **45 02 60** 9	**3.5**	**30**	**T15**	110	4
310178 **45 02 61** 6	**3.5**	**35**	**T15**	110	4
310178 **45 02 62** 3	**3.5**	**40**	**T15**	60	4
310178 **45 02 63** 0	**4**	**16**	**T20**	110	4
310178 **45 02 64** 7	**4**	**20**	**T20**	110	4
310178 **45 02 65** 4	**4**	**25**	**T20**	110	4
310178 **45 02 66** 1	**4**	**30**	**T20**	50	6
310178 **45 02 67** 8	**4**	**35**	**T20**	50	6
310178 **45 02 68** 5	**4**	**40**	**T20**	50	6
310178 **45 02 70** 8	**4**	**50**	**T20**	50	6
310178 **45 02 71** 5	**4**	**60**	**T20**	50	6
310178 **45 02 72** 2	**4**	**70**	**T20**	30	6
310178 **45 02 73** 9	**4.5**	**20**	**T20**	110	4
310178 **45 02 74** 6	**4.5**	**25**	**T20**	110	4
310178 **45 02 75** 3	**4.5**	**30**	**T20**	50	4
310178 **45 02 76** 0	**4.5**	**35**	**T20**	50	4
310178 **45 02 77** 7	**4.5**	**40**	**T20**	50	4
310178 **45 02 78** 4	**4.5**	**45**	**T20**	50	4
310178 **45 02 79** 1	**4.5**	**50**	**T20**	50	4
310178 **45 02 80** 7	**4.5**	**60**	**T20**	30	4
310178 **45 02 81** 4	**5**	**20**	**T25**	110	4
310178 **45 02 82** 1	**5**	**30**	**T25**	50	4
310178 **45 02 84** 5	**5**	**40**	**T25**	50	4
310178 **45 02 86** 9	**5**	**50**	**T25**	50	4
310178 **45 02 87** 6	**5**	**60**	**T25**	30	4
310178 **45 02 89** 0	**5**	**80**	**T25**	30	6
310178 **45 02 90** 6	**6**	**40**	**T30**	40	4
310178 **45 02 91** 3	**6**	**50**	**T30**	30	4
310178 **45 02 92** 0	**6**	**60**	**T30**	30	4
310178 **45 02 93** 7	**6**	**70**	**T30**	30	6
310178 **45 02 94** 4	**6**	**80**	**T30**	25	6
310178 **45 02 95** 1	**6**	**90**	**T30**	25	6
310178 **45 02 96** 8	**6**	**100**	**T30**	20	6
310178 **45 02 97** 5	**6**	**120**	**T30**	15	6



Cardboard box

High content

EAN code	Ø	Length	Recess	Content	PU
310178 **45 04 41** 2	**3**	**16**	**T10**	320	6
310178 **45 04 42** 9	**3**	**20**	**T10**	320	6
310178 **45 04 43** 6	**3**	**25**	**T10**	320	6
310178 **45 04 44** 3	**3**	**30**	**T10**	220	6
310178 **45 04 60** 3	**3.5**	**16**	**T15**	320	6
310178 **45 04 61** 0	**3.5**	**20**	**T15**	320	6
310178 **45 04 62** 7	**3.5**	**25**	**T15**	250	6
310178 **45 04 63** 4	**3.5**	**30**	**T15**	200	6
310178 **45 04 64** 1	**3.5**	**35**	**T15**	180	6
310178 **45 04 45** 0	**3.5**	**40**	**T15**	160	6
310178 **45 04 46** 7	**4**	**16**	**T20**	320	6
310178 **45 04 47** 4	**4**	**20**	**T20**	320	6
310178 **45 04 48** 1	**4**	**25**	**T20**	250	6
310178 **45 04 49** 8	**4**	**30**	**T20**	150	6
310178 **45 04 50** 4	**4**	**35**	**T20**	150	6
310178 **45 04 51** 1	**4**	**40**	**T20**	120	6
310178 **45 04 52** 8	**4**	**45**	**T20**	100	6
310178 **45 04 53** 5	**4**	**50**	**T20**	90	6
310178 **45 04 65** 8	**4**	**60**	**T20**	80	6
310178 **45 04 66** 5	**4.5**	**30**	**T20**	110	6
310178 **45 04 67** 2	**4.5**	**35**	**T20**	110	6
310178 **45 04 68** 9	**4.5**	**40**	**T20**	100	6
310178 **45 04 69** 6	**4.5**	**45**	**T20**	80	6
310178 **45 04 54** 2	**4.5**	**50**	**T20**	80	6
310178 **45 04 55** 9	**5**	**40**	**T25**	90	6
310178 **45 04 56** 6	**5**	**50**	**T25**	70	6
310178 **45 04 57** 3	**5**	**60**	**T25**	60	6
310178 **45 04 58** 0	**5**	**70**	**T25**	60	6
310178 **45 04 59** 7	**6**	**80**	**T30**	40	6

T

\ WOOD AND CHIPBOARD

Countersunk head — Zinc-plated steel







ROCKET

VYNEX FR 08350
18
EN 14592+A1:2012
Labo : 0380 - Dop N°24

RELIABLE / FAST / EFFICIENT



Cardboard box Profi

High content

EAN code	Ø	Length	Recess	Content	PU
351400 **02 50 01** 5	**3**	**12**	**T10**	500	1
351400 **02 50 02** 2	**3**	**16**	**T10**	500	1
351400 **02 50 03** 9	**3**	**20**	**T10**	500	1
351400 **02 50 04** 6	**3**	**25**	**T10**	500	1
351400 **02 50 05** 3	**3**	**30**	**T10**	500	1
351400 **02 50 09** 1	**3.5**	**16**	**T15**	500	1
351400 **02 50 10** 7	**3.5**	**20**	**T15**	500	1
351400 **02 50 11** 4	**3.5**	**25**	**T15**	500	1
351400 **02 50 12** 1	**3.5**	**30**	**T15**	500	1
351400 **02 50 14** 5	**3.5**	**35**	**T15**	500	1
351400 **02 50 16** 9	**3.5**	**40**	**T15**	500	1
351400 **02 50 19** 0	**4**	**16**	**T20**	500	1
351400 **02 50 20** 6	**4**	**20**	**T20**	500	1
351400 **02 50 21** 3	**4**	**25**	**T20**	500	1
351400 **02 50 23** 7	**4**	**30**	**T20**	500	1
351400 **02 50 24** 4	**4**	**35**	**T20**	500	1
351400 **02 50 26** 8	**4**	**40**	**T20**	500	1
351400 **02 50 28** 2	**4**	**45**	**T20**	500	1
351400 **02 50 30** 5	**4**	**50**	**T20**	500	1
351400 **02 50 33** 6	**4**	**60**	**T20**	500	1
351400 **02 50 34** 3	**4**	**70**	**T20**	500	1
351400 **02 50 38** 1	**4.5**	**30**	**T20**	500	1
351400 **02 50 39** 8	**4.5**	**35**	**T20**	500	1
351400 **02 50 41** 1	**4.5**	**40**	**T20**	500	1
351400 **02 50 44** 2	**4.5**	**50**	**T20**	500	1
351400 **02 50 46** 6	**4.5**	**60**	**T20**	500	1
351400 **02 50 47** 3	**4.5**	**70**	**T25**	200	1
351400 **02 50 51** 0	**5**	**30**	**T25**	500	1


EAN code	Ø	Length	Recess	Content	PU
351400 **02 50 53** 4	**5**	**40**	**T25**	500	1
351400 **02 50 54** 1	**5**	**45**	**T25**	500	1
351400 **02 50 56** 5	**5**	**50**	**T25**	500	1
351400 **02 50 59** 6	**5**	**60**	**T25**	200	1
351400 **02 50 60** 2	**5**	**70**	**T25**	200	1
351400 **02 50 61** 9	**5**	**80**	**T25**	200	1
351400 **02 50 62** 6	**5**	**90**	**T25**	200	1
351400 **02 50 63** 3	**5**	**100**	**T25**	200	1
351400 **02 50 67** 1	**6**	**40**	**T25**	200	1
351400 **02 50 68** 8	**6**	**50**	**T30**	200	1
351400 **02 50 69** 5	**6**	**60**	**T30**	200	1
351400 **02 50 70** 1	**6**	**70**	**T30**	150	1
351400 **02 50 71** 8	**6**	**80**	**T30**	150	1
351400 **02 50 72** 5	**6**	**90**	**T30**	150	1
351400 **02 50 73** 2	**6**	**100**	**T30**	150	1
351400 **02 50 75** 6	**6**	**120**	**T30**	100	1
351400 **02 50 77** 0	**6**	**140**	**T30**	100	1
351400 **02 50 79** 4	**6**	**160**	**T30**	100	1
351400 **02 50 80** 0	**6**	**180**	**T30**	100	1
351400 **02 50 81** 7	**6**	**200**	**T30**	100	1




T

\ WOOD AND CHIPBOARD

Rounded head — Zinc-plated steel







Perfect for attaching metal to wood or using wall plugs.

The technical and physical characteristics make ROCKET screws a high quality product: slim, sharpened point, ribbed thread, hard-wearing triple cone, high-quality steel, thermal treatment, dry lubrication.

Its wide head ensures thin woodparts stay in place, in situations where a countersunk head would not be suitable

Widely used in joinery, design and kitchens, white zinc-coating fits perfectly with different nuts and bolts.

The star-shaped head provides a secure grip between the screw and the bit.

ROCKET®

RELIABLE / FAST / EFFICIENT



Cardboard box

Small content

EAN code	Ø	Length	Recess	Content	PU
310178 **45 05 00** 6	**3**	**10**	**T10**	35	6
310178 **45 05 01** 3	**3**	**12**	**T10**	35	6
310178 **45 05 02** 0	**3**	**16**	**T10**	30	6
310178 **45 05 03** 7	**3**	**20**	**T10**	30	6
310178 **45 05 04** 4	**3**	**25**	**T10**	30	6
310178 **45 05 06** 8	**3.5**	**16**	**T15**	30	6
310178 **45 05 07** 5	**3.5**	**20**	**T15**	30	6
310178 **45 05 08** 2	**3.5**	**25**	**T15**	30	6
310178 **45 05 10** 5	**4**	**16**	**T20**	30	6
310178 **45 05 11** 2	**4**	**20**	**T20**	25	6
310178 **45 05 12** 9	**4**	**25**	**T20**	25	6
310178 **45 05 13** 6	**4**	**30**	**T20**	25	6
310178 **45 05 14** 3	**4**	**35**	**T20**	25	6
310178 **45 05 15** 0	**4**	**40**	**T20**	25	6
310178 **45 05 16** 7	**4**	**45**	**T20**	25	6
310178 **45 05 17** 4	**4**	**50**	**T20**	25	6
310178 **45 05 18** 1	**4.5**	**20**	**T20**	25	6
310178 **45 05 19** 8	**4.5**	**30**	**T20**	20	6
310178 **45 05 20** 4	**4.5**	**40**	**T20**	12	6
310178 **45 05 21** 1	**4.5**	**50**	**T20**	12	6
310178 **45 05 23** 5	**5**	**30**	**T25**	20	6
310178 **45 05 24** 2	**5**	**40**	**T25**	12	6
310178 **45 05 25** 9	**5**	**50**	**T25**	12	6
310178 **45 05 26** 6	**5**	**60**	**T25**	12	6
310178 **45 05 27** 3	**6**	**40**	**T30**	10	6
310178 **45 05 28** 0	**6**	**50**	**T30**	10	6
310178 **45 05 29** 7	**6**	**60**	**T30**	8	6
310178 **45 05 30** 3	**6**	**80**	**T30**	8	6



Cardboard box

High content

EAN code	Ø	Length	Recess	Content	PU
310178 **45 05 31** 0	**4**	**16**	**T20**	320	6
310178 **45 05 33** 4	**4**	**30**	**T20**	150	6
310178 **45 05 34** 1	**4**	**40**	**T20**	120	6



PZ

\ WOOD AND CHIPBOARD

Countersunk head — A2 stainless steel







The ideal screw for working outdoors or in damp environments such as terraces, cladding or fences.

Made from high quality A2 stainless steel.
Perfect for outdoor projects.

Outdoor wooden structures such as terraces, cladding and fences require the use of treated or tropical wood in order to cope with bad weather or other vagaries.
Specific attention must be paid when building such structures. Pre-drilling recommended for hard wood.

The rustproof ROCKET chipboard screws made of A2 stainless steel offer the full pull-out and screw torque in outdoor applications.

ROCKET®

CE
VYNEX FR 08350
18
EN 14592+A1:2012
Labo : 0380 - Dop N°24

RELIABLE / FAST / EFFICIENT



Cardboard box

Small content

EAN code	Ø	Length	Recess	Content	PU
310178 **45 01 30** 5	**3**	**16**	**PZ1**	30	6
310178 **45 01 31** 2	**3**	**20**	**PZ1**	30	6
310178 **45 01 32** 9	**3.5**	**25**	**PZ2**	30	6
310178 **45 01 33** 6	**3.5**	**30**	**PZ2**	25	6
310178 **45 01 34** 3	**4**	**20**	**PZ2**	25	6
310178 **45 01 35** 0	**4**	**25**	**PZ2**	25	6
310178 **45 01 36** 7	**4**	**30**	**PZ2**	25	6
310178 **45 01 37** 4	**4**	**35**	**PZ2**	25	6
310178 **45 01 38** 1	**4**	**40**	**PZ2**	25	6
310178 **45 01 39** 8	**4**	**45**	**PZ2**	25	6
310178 **45 01 40** 4	**4**	**50**	**PZ2**	25	6
310178 **45 01 41** 1	**4.5**	**40**	**PZ2**	20	6
310178 **45 01 42** 8	**4.5**	**45**	**PZ2**	12	6
310178 **45 01 43** 5	**4.5**	**50**	**PZ2**	12	6
310178 **45 01 45** 9	**5**	**40**	**PZ2**	12	6
310178 **45 01 46** 6	**5**	**50**	**PZ2**	12	6
310178 **45 01 47** 3	**5**	**60**	**PZ2**	12	6
310178 **45 01 49** 7	**6**	**40**	**PZ3**	10	6
310178 **45 01 50** 3	**6**	**50**	**PZ3**	10	6
310178 **45 01 51** 0	**6**	**60**	**PZ3**	8	6



Cardboard box

Medium content



EAN code	Ø	Length	Recess	Content	PU
310178 **45 03 30** 9	**3**	**16**	**PZ1**	110	6
310178 **45 03 31** 6	**3**	**20**	**PZ1**	110	**6**
310178 **45 03 32** 3	**3.5**	**25**	**PZ2**	110	4
310178 **45 03 33** 0	**3.5**	**30**	**PZ2**	110	4
310178 **45 03 34** 7	**4**	**20**	**PZ2**	110	4
310178 **45 03 35** 4	**4**	**25**	**PZ2**	110	4
310178 **45 03 36** 1	**4**	**30**	**PZ2**	50	6
310178 **45 03 37** 8	**4**	**35**	**PZ2**	50	6
310178 **45 03 38** 5	**4**	**40**	**PZ2**	50	6
310178 **45 03 39** 2	**4**	**45**	**PZ2**	50	6
310178 **45 03 40** 8	**4**	**50**	**PZ2**	50	6
310178 **45 03 41** 5	**4.5**	**40**	**PZ2**	50	4
310178 **45 03 42** 2	**4.5**	**45**	**PZ2**	50	4
310178 **45 03 43** 9	**4.5**	**50**	**PZ2**	50	4
310178 **45 03 44** 6	**4.5**	**55**	**PZ2**	30	4
310178 **45 03 45** 3	**4.5**	**60**	**PZ2**	30	4
310178 **45 03 46** 0	**5**	**30**	**PZ2**	50	4
310178 **45 03 47** 7	**5**	**40**	**PZ2**	50	4
310178 **45 03 48** 4	**5**	**50**	**PZ2**	50	4
310178 **45 03 49** 1	**5**	**60**	**PZ2**	50	4
310178 **45 03 51** 4	**5**	**80**	**PZ2**	30	6
310178 **45 03 52** 1	**6**	**40**	**PZ3**	40	4
310178 **45 03 53** 8	**6**	**50**	**PZ3**	40	4
310178 **45 03 54** 5	**6**	**60**	**PZ3**	30	4
310178 **45 03 55** 2	**6**	**70**	**PZ3**	30	6
310178 **45 03 56** 9	**6**	**80**	**PZ3**	25	6
310178 **45 03 57** 6	**6**	**100**	**PZ3**	20	6



Cardboard box

High content

EAN code	Ø	Length	Recess	Content	PU
310178 **45 05 55** 6	**4**	**20**	**PZ2**	320	6
310178 **45 05 58** 7	**4**	**40**	**PZ2**	120	6
310178 **45 05 59** 4	**5**	**50**	**PZ2**	70	6



T

\ WOOD AND CHIPBOARD

Countersunk head — A2 stainless steel







The ideal screw for working outdoors or in damp environments such as terraces, cladding or fences.

Made from high quality A2 stainless steel. Perfect for outdoor projects.

Outdoor wooden structures such as terraces, cladding and fences require the use of treated or tropical wood in order to cope with bad weather or other vagaries.
Specific attention must be paid when building such structures. Pre-drilling recommended for hard wood.

The rustproof ROCKET chipboard screws made of A2 stainless steel offer the same pull-out and screw torque in outdoor applications as their galvanized steel counterparts.

The T-drive enables the best possible driving experience, even with difficult base materials.

ROCKET®

CE

VYNEX FR 08350
18
EN 14592+A1:2012
Labo : 0380 - Dop N°24

RELIABLE / FAST / EFFICIENT



Cardboard box
Small content

EAN code	Ø	Length	Recess	Content	PU
310178 **45 01 00** 8	**3**	**16**	**T10**	30	6
310178 **45 01 01** 5	**3.5**	**20**	**T15**	30	6
310178 **45 01 02** 2	**3.5**	**25**	**T15**	30	6
310178 **45 01 03** 9	**4**	**25**	**T20**	25	6
310178 **45 01 04** 6	**4**	**30**	**T20**	25	6
310178 **45 01 05** 3	**4**	**35**	**T20**	25	6
310178 **45 01 06** 0	**4**	**40**	**T20**	25	6
310178 **45 01 07** 7	**4**	**45**	**T20**	25	6
310178 **45 01 08** 4	**4**	**50**	**T20**	25	6
310178 **45 01 09** 1	**4.5**	**45**	**T20**	12	6
310178 **45 01 10** 7	**4.5**	**50**	**T20**	12	6
310178 **45 01 11** 4	**4.5**	**55**	**T20**	12	6
310178 **45 01 12** 1	**4.5**	**60**	**T20**	12	6
310178 **45 01 13** 8	**5**	**40**	**T25**	12	6
310178 **45 01 14** 5	**5**	**50**	**T25**	12	6
310178 **45 01 15** 2	**5**	**60**	**T25**	12	6
310178 **45 01 16** 9	**5**	**70**	**T25**	12	6
310178 **45 01 18** 3	**6**	**50**	**T30**	10	6
310178 **45 01 19** 0	**6**	**60**	**T30**	8	6



Cardboard box
Medium content

EAN code	Ø	Length	Recess	Content	PU
310178 **45 03 00** 2	**3**	**16**	**T10**	110	6
310178 **45 03 01** 9	**3.5**	**20**	**T15**	110	**6**
310178 **45 03 02** 6	**3.5**	**25**	**T15**	110	4
310178 **45 03 03** 3	**4**	**25**	**T20**	110	4
310178 **45 03 04** 0	**4**	**30**	**T20**	50	6
310178 **45 03 05** 7	**4**	**35**	**T20**	50	6
310178 **45 03 06** 4	**4**	**40**	**T20**	50	6
310178 **45 03 07** 1	**4**	**45**	**T20**	50	6
310178 **45 03 08** 8	**4**	**50**	**T20**	50	6
310178 **45 03 09** 5	**4.5**	**45**	**T20**	50	4
310178 **45 03 10** 1	**4.5**	**50**	**T20**	50	4
310178 **45 03 11** 8	**4.5**	**55**	**T20**	30	4
310178 **45 03 12** 5	**4.5**	**60**	**T20**	30	4
310178 **45 03 13** 2	**5**	**40**	**T25**	50	4
310178 **45 03 14** 9	**5**	**50**	**T25**	50	4
310178 **45 03 15** 6	**5**	**60**	**T25**	30	4
310178 **45 03 16** 3	**5**	**70**	**T25**	30	4
310178 **45 03 17** 0	**5**	**80**	**T25**	30	6
310178 **45 03 18** 7	**6**	**50**	**T30**	30	4
310178 **45 03 19** 4	**6**	**60**	**T30**	30	4
310178 **45 03 20** 0	**6**	**70**	**T30**	30	6
310178 **45 03 21** 7	**6**	**80**	**T30**	25	6
310178 **45 03 22** 4	**6**	**100**	**T30**	20	6
310178 **45 03 23** 1	**6**	**120**	**T30**	15	6



Cardboard box Profi
High content

EAN code	Ø	Length	Recess	Content	PU
351400 **71 40 25** 8	**4**	**25**	**T20**	200	1
351400 **71 40 30** 2	**4**	**30**	**T20**	200	1
351400 **71 40 35** 7	**4**	**35**	**T20**	200	1
351400 **71 40 40** 1	**4**	**40**	**T20**	200	1
351400 **71 40 45** 6	**4**	**45**	**T20**	200	1
351400 **71 40 50** 0	**4**	**50**	**T20**	200	1
351400 **71 40 45** 1	**4.5**	**45**	**T20**	200	1
351400 **71 45 50** 5	**4.5**	**50**	**T20**	200	1
351400 **71 50 50** 9	**5**	**50**	**T25**	200	1
351400 **71 50 60** 8	**5**	**60**	**T25**	200	1
351400 **71 40 70** 7	**5**	**70**	**T25**	100	1
351400 **71 50 80** 6	**5**	**80**	**T25**	100	1
351400 **71 60 50** 8	**6**	**50**	**T30**	100	1
351400 **71 60 60** 7	**6**	**60**	**T30**	50	1
351400 **71 60 80** 5	**6**	**80**	**T30**	50	1
351400 **71 61 00** 0	**6**	**100**	**T30**	50	1




Cardboard box
High content

EAN code	Ø	Length	Recess	Content	PU
310178 **45 05 52** 5	**5**	**50**	**T25**	70	6
310178 **45 05 53** 2	**5**	**60**	**T25**	60	6
310178 **45 05 54** 9	**6**	**80**	**T30**	40	6

T

\ HINGE

Cylindrical head — Black-zinc-coated steel





Everything you'd expect from a ROCKET screw, only for hinges.

Delivers enhanced durability. The non-split system ensures wood won't split over time, particularly on shutters.

The durable black coating allows for rust-free use in outdoor areas.



ROCKET®

RELIABLE / FAST / EFFICIENT



Cardboard box
Small content

EAN code	Ø	Length	Recess	Content	PU
310178 **45 01 60** 2	**6**	**30**	**T30**	8	6
310178 **45 01 61** 9	**6**	**40**	**T30**	8	6
310178 **45 01 62** 6	**6**	**50**	**T30**	8	6
310178 **45 01 63** 3	**7**	**40**	**T30**	8	6
310178 **45 01 64** 0	**7**	**50**	**T30**	8	6
310178 **45 01 65** 7	**7**	**60**	**T30**	8	6



Cardboard box
Medium content

EAN code	Ø	Length	Recess	Content	PU
310178 **45 03 60** 6	**6**	**30**	**T30**	30	4
310178 **45 03 61** 3	**6**	**35**	**T30**	30	4
310178 **45 03 62** 0	**6**	**40**	**T30**	24	4
310178 **45 03 63** 7	**6**	**50**	**T30**	20	4
310178 **45 03 64** 4	**7**	**30**	**T30**	30	4
310178 **45 03 65** 1	**7**	**40**	**T30**	24	4
310178 **45 03 66** 8	**7**	**50**	**T30**	20	4
310178 **45 03 67** 5	**7**	**60**	**T30**	20	4



Cardboard box
High content

EAN code	Ø	Length	Recess	Content	
310178 **45 03 74** 3	**6**	**30**	**T30**	60	6
310178 **45 03 75** 0	**6**	**40**	**T30**	40	**6**
310178 **45 03 76** 7	**6**	**50**	**T30**	30	6



Cardboard box Profi
High content

EAN code	Ø	Length	Recess	Content	PU
351400 **22 22 45** 4	**6**	**30**	**T30**	200	1
351400 **22 22 47** 8	**6**	**40**	**T30**	200	1
351400 **22 22 48** 5	**6**	**50**	**T30**	200	1
351400 **22 22 51** 5	**7**	**50**	**T30**	100	1
351400 **22 22 52** 2	**7**	**60**	**T30**	100	1



T

\ HINGE

Cylindrical head — A2 stainless steel





Everything you'd expect from a ROCKET screw, only for hinges.

Delivers enhanced durability.
The non-split system ensures wood won't split over time, particularly on shutters.

The high-quality stainless steel allows for rust-free use in outdoor areas.



ROCKET®

RELIABLE / FAST / EFFICIENT



Cardboard box

Small content

EAN code	Ø	Length	Recess	Content	PU
310178 **45 01 66** 4	**6**	**30**	**T30**	8	6
310178 **45 01 67** 1	**6**	**40**	**T30**	8	6
310178 **45 01 68** 8	**6**	**50**	**T30**	8	6
310178 **45 01 69** 5	**7**	**40**	**T30**	8	6
310178 **45 01 70** 1	**7**	**50**	**T30**	8	6
310178 **45 01 71** 8	**7**	**60**	**T30**	8	6



Cardboard box

Medium content

EAN code	Ø	Length	Recess	Content	PU
310178 **45 03 68** 2	**6**	**30**	**T30**	30	4
310178 **45 03 69** 9	**6**	**40**	**T30**	24	4
310178 **45 03 70** 5	**6**	**50**	**T30**	20	4
310178 **45 03 71** 2	**7**	**40**	**T30**	24	4
310178 **45 03 72** 9	**7**	**50**	**T30**	20	4
310178 **45 03 73** 6	**7**	**60**	**T30**	20	4



Cardboard box

High content

EAN code	Ø	Length	Recess	Content	PU
310178 **45 03 77** 4	**6**	**30**	**T30**	60	6
310178 **45 03 78** 1	**6**	**40**	**T30**	40	6
310178 **45 03 79** 8	**6**	**50**	**T30**	30	6



AF

HEXAGONAL WOODSCREWS

Hexagonal head — Bichromate steel







Quick fastening via hexagonal drive with high-quality zinc-plated surface.

The screw can be driven in without the need for direct pre-drilling. The hexagonal drive enables time savings of up to 60%.

It is ideally suited for timber constructions, carpentry work, and fastening covers.

The high-quality yellow zinc-plated steel ensures good corrosion resistance, while the technical properties allow for a high tightening torque.

The integrated washer provides improved grip in the material.

A reinforced cone also ensures high break resistance for this screw.

The milling at the base of the thread guarantees stable tightening torque and allows for fast insertion without resistance.

In addition, the cutting notch helps minimize the need for additional pre-drilling and prevents wood splitting.

ROCKET®

RELIABLE / FAST / EFFICIENT



Cardboard box Profi

High content

EAN code	Ø	Length	Recess	Content	PU
351400 **22 55 20** 9	**6**	**40**	**AF8**	300	1
351400 **22 55 21** 6	**6**	**50**	**AF8**	200	1
351400 **22 55 22** 3	**6**	**60**	**AF8**	200	1
351400 **22 55 28** 5	**8**	**60**	**AF10**	100	1
351400 **22 55 30** 8	**8**	**80**	**AF10**	75	1
351400 **22 55 31** 5	**8**	**100**	**AF10**	75	1
351400 **22 55 32** 2	**8**	**120**	**AF10**	50	1
351400 **22 55 33** 9	**8**	**140**	**AF10**	50	1
351400 **22 55 34** 6	**8**	**160**	**AF10**	50	1
351400 **22 55 35** 3	**10**	**100**	**AF13**	50	1
351400 **22 55 36** 0	**10**	**120**	**AF13**	40	1
351400 **22 55 37** 7	**10**	**140**	**AF13**	40	1
351400 **22 55 38** 4	**10**	**160**	**AF13**	40	1



T

\ FLOORING

Countersunk head — Zinc-coated steel







Quick and clean fastening for parquet and floorboards.

The ideal screw for fastening floorboards as well as tongue-and-groove wall and ceiling elements.

This screw has a reduced head with milling ribs for perfect hold and a perfect finish. The cutting notch prevents cracks from forming in the wood.

It thus guarantees the longevity of materials and clean workmanship.

The partial thread also ensures clean processing of floorboards and substrate material.

The T-drive enables the best possible screwdriving experience, even with difficult substrate materials.



\ Cardboard box
High content

EAN code	Ø	Length	Recess	Content	PU
310178 **45 05 40** 2	**3,5**	**35**	**T10**	150	6
310178 **45 05 41** 9	**3,5**	**45**	**T10**	120	6
310178 **45 05 42** 6	**3,5**	**55**	**T10**	120	6

ROCKET®

RELIABLE
FAST
EFFICIENT

\ TERRACE

T

Countersunk head — A2 stainless steel







The ideal screw for use on terraces.

Excellent finish and attractive appearance thanks to the small head, which allows anchoring in the wood.

The geometry has been designed to ensure a perfect finish and long-lasting anchoring in the wood.

In accordance with technical regulations, pre-drilling is required.

The double-thread screw guarantees a firm connection between the decking board and the beam.

T25 bit size for easy driving and improved bit retention in the screw.

A2 stainless steel ensures good corrosion resistance.



\ Cardboard box

High content

EAN code	Ø	Length	Recess	Content	PU
351400 **02 95 50** 4	**5**	**50**	**T25**	250	1
351400 **02 95 60** 3	**5**	**60**	**T25**	200	1
351400 **02 95 70** 2	**5**	**70**	**T25**	150	1

ROCKET®

CE
VYNEX FR 08350
20
EN 14592+A1:2012
Labo : 1015 - Dop N°26

RELIABLE
FAST
EFFICIENT

ROCKET®

08350 THELONNE
FRANCE

www.rocket.eu

E-mail : contact@vynex.fr

Follow us

93004

4 065295 018280 >

International V2